### MATERIAL SAFETY DATA SHEET

### SECTION 1 - IDENTIFICATION DATA

EDERICK GUMM CHEMICAL COMPANY, INC. 538 Forest Street, Kearny, NJ 07032

Emergency Telephone Numbers: CHEMTREC 800-424-9300 (24HR) 8:00 AM - 5:00 PM EST

GEMINI RACK MAINTENANCE AN

201-991-4174 Information

D.O.T. HAZARD CLASS - Non-DOT Regulated CHEMICAL FAMILY - Nickel Brightener

Effective Date:

05-27-92

CHEMICAL NAME/SYNONYMS - GEMINI RACK MAINTENANCE AN

FORMULA

- Mixture

MSDS REVIEWED BY - Keith Frey, V.P. Quality & Regulatory Affairs

### SECTION 2 - PHYSICAL DATA

BOILING POINT (Deg F) - >212 deg F

VAPOR PRESSURE (mm Hg)
VAPOR DENSITY (air=1)
SOLUBILITY IN WATER - NA - NA

- Complete SPECIFIC GRAVITY (H20=1) - Apprx. 1.02

VOLATILE BY VOLUME - 86% EVAPORATION RATE (H2O=1) - >1

APPEARANCE & ODOR:

Light tan liquid with mild oder

## SECTION 3 - FIRE AND EXPLOSION DATA

FLASH POINT - None

## EXTINGUISHING MEDIA:

This product is not combustible.

## SPECIAL FIRE FIGHTING PROCEDURES:

Protective clothing and self-contained breathing apparatus should be worn by firefighters in areas where product is stored. Water spray, foam, dry chemical, or carbon dioxide may be used in areas where product is stored.

# UNUSUAL FIRE AND EXPLOSION HAZARDS:

None

## NFPA HAZARD CLASSIFICATION:

Health (Blue) Flammability (Red) Reactivity (Yellow) - 0

### DEGREE OF HAZARD

4=Extreme 3=High 2=Moderate 1=Slight 0=Insignficant

terial Safety Data Sheet for GEMINI RACK MAINTENANCE AN

page: 1

#### - REACTIVITY DATA SECTION 4

BILITY: Stable

CONDITIONS TO AVOID: NA

INCOMPATIBILITY: Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS:

None expected

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: NA

SECTION 5 - HAZARDOUS COMPONENTS

PAINTS, PRESERVATIVES, AND SOLVENTS:

ALLOYS AND METALLIC COATINGS:

NA

HAZARDOUS COMPONENTS

CAS NUMBER 81-07-2

TLV PEL LD50

NF

NF 1.56

#-Saccharin

WV = Mq/M3PEL = Mq/M3 LD50 = oral, rat, Mg/Kg

NF

NF = None Found

# - The indicated material, if any, is listed as a carginogen or potential carginogen by one or more of the following: National Toxicology Program, I.A.R.C. Monographs, OSHA.

\*\* - The indicated material, if any, does not have an established TLV, but does appear on one or more of the following states hazardous substance lists: Connecticut, Illinois, Michigan, Maine, Massachusetts, Minnesota, New Hampshire, New Jersey, New York, Oregon, Rhode Island, West Virginia, and Wisconsin, and is present in this product in amounts greater than 1%.

& - The indicated material, if any, is subject to the reporting requirements

of SARA Title III, Section 313 

SECTION 6 - SPILL, LEAK, AND DISPOSAL PROCEDURES

\_\_\_\_\_\_

### SPILL & LEAK PROCEDURES:

Liquids should be contained and adsorbed with a suitable adsorbent, or flushed to the waste treatment area. Flush area with plenty of water. Avoid all personal contact.

## WASTE DISPOSAL METHODS:

Waste solution should not be discharged into sewers or streams. should first be neutralized to a locally acceptable pH, and then well diluted with water. Depending on usage and locality, may also require precipitation and filtration of heavy metals. Otherwise, contact local

terial Safety Data Sheet for GEMINI RACK MAINTENANCE AN

page: 2

SECTION 6 - SPILL, LEAK, AND DISPOSAL PROCEDURES continued

waste disposal contractor.

# SECTION 7 - HEALTH HAZARD DATA

### ROUTES OF EXPOSURE

INHALATION: Inhaling mist or spray is irritating to the upper respiratory tract and depending on the severity of exposure, may cause tissue damage. May also cause a decrease in alertness.

**SKIN CONTACT:** This product is irritating to tissues contacted and may cause skin damage.

SKIN ABSORPTION: See SKIN CONTACT above.

EYE CONTACT: This product is irritating to eye tissues on contact. May cause permanent eye damage.

INGESTION: This product, if swallowed, will be irritating to the mouth, throat, and stomach.

### EFFECTS OF OVEREXPOSURE

ACUTE: Irritating to all body tissues with which it comes in contact.

CHRONIC: Repeated or prolonged exposure may cause dermatitis.

EMERGENCY AND FIRST AID PROCEDURES

EYES: IMMEDIATELY flush eyes with large amounts of water for at least 15 minutes, holding lids apart to ensure flushing of the entire surface. Thing eyes within 1 minute is essential to achieve maximum effectiveness. ek medical attention immediately.

**SKIN:** Immediately wash contaminated areas with plenty of water for 15 minutes. Remove contaminated clothing and footwear, and wash clothing before reuse. Discard any clothing that can not be decontaminated. Seek medical attention immediately.

INHALATION: Get person out of contaminated area to fresh air. If breathing has stopped, resuscitate and administer oxygen if readily available. Seek medical attention immediately.

INGESTION: NEVER give anything by mouth to an unconscious person. If swallowed, do not induce vomiting. Give large quantities of water. If vomiting occurs spontaneously, keep airway clear. Seek medical attention immediately.

Material Safety Data Sheet for GEMINI RACK MAINTENANCE AN

page: 3

## SECTION 8 - SPECIAL HANDLING PROCEDURES

SPIRATORY: Respiration protection is not required under normal use.

Use NIOSH/MSHA approved respirator where mist or spray may be generated above the TLV limit.

**VENTILATION:** Use adequate local exhaust ventilation where mist or spray may be generated, to maintain level below the TLV limit.

GLOVES: Impervious gloves should be worn (ex. rubber or neoprene).

EYES: Chemical safety goggles and/or face shield.

OTHER: Chemically resistant shoes and apron. Safety showers and eyewash facilities should be accessible. All contaminated clothing should be washed with soap and water, and dried before reuse.

## SECTION 9 - SPECIAL PRECAUTIONS

# HANDLING AND STORAGE PRECAUTIONS:

Avoid contact with skin and eyes. Wash thoroughly after handling material. Store in a cool, dry area, in a closed container when not being used. DO NOT STORE with strong acids & oxidizers, chlorinated organic compounds. OTHER PRECAUTIONS:

Keep container tightly closed when not in use. Wash thoroughly after handling. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full. Containers must not be used for any other purpose.

The information herein is based on technical data that is believed to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, we make no warrenties, expressed or implied, and assume no liability in connection with the use of this information.